SIEMENS

Data sheet 7KM2200-2EA30-1CA1

Siemens EcoTech

SENTRON, measuring device, 7KM PAC2200, LCD, L-L: 480 V, L-N: 277 V, 5 A, DIN-rail device, 3-phase, M-Bus, apparent / active / reactive energy, with internal power supply, screw terminal



Model	
product brand name	SENTRON
product designation	Energy counter
product quality calibrated	No
type of measured value detection load profile	No
type of signal	S0
design of the energy counter	Solid-state
design of the pulse output	Electrical
General technical data	
type of the power supply network	three-wire/four-wire
operating voltage	
● between L and L minimum	3 V
● between L and L maximum	480 V
● between N and L minimum	3 V
● between N and L maximum	276 V
Protection class	
protection class IP	IP40
Main circuit	
operating frequency rated value	
● minimum	45 Hz
● maximum	65 Hz
operational current rated value	5 A
Suitability	
suitability for use	Import/export
Product function	
product function	apparent/active/reactive energy
product function	
● backstop	Yes
● blocking code	Yes
Display and operation	
design of the display	LCD
display version	digital
Communication	
protocol is supported	M-Bus
Measuring inputs	
measurable supply voltage	

© Copyright Plcbin

● between (PE)N and L at AC maximum rated value	277 V
● between the line conductors at AC maximum rated value	480 V

Number	
number of characters that can be displayed	12

Mechanical Design	
number of modular width units	6
fastening method	DIN rail device
Net Weight	419 g

Approvals Certificates

Environment		General Product Approval	
Environmental Confirmations	Environmental Confirmations		

General Product Approval	other
Confirmation	Confirmation

Further information

Information on the packaging
https://www.plcbin.com/?s=7KM2200-2EA30-1CA1

Information for data generation and storage
https://www.plcbin.com/?s=7KM2200-2EA30-1CA1

Information- and Downloadcenter (Catalogs, Brochures,…)
https://www.plcbin.com/?s=7KM2200-2EA30-1CA1

Industry Mall (Online ordering system)
https://www.plcbin.com/?s=7KM2200-2EA30-1CA1

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://www.plcbin.com/?s=7KM2200-2EA30-1CA1


Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.plcbin.com/?s=7KM2200-2EA30-1CA1


CAx-Online-Generator
https://www.plcbin.com/?s=7KM2200-2EA30-1CA1

Tender specifications
https://www.plcbin.com/?s=7KM2200-2EA30-1CA1


Characteristic curves
https://www.plcbin.com/?s=7KM2200-2EA30-1CA1 <mmp_prod_noCOMP="HAUPT"></mmp_prod__no>

© Copyright Plcbin





Subject to change without notice
© Copyright Plcbin



last modified: 5/9/2026

Subject to change without notice
© Copyright Plcbin

Subject to change without notice
© Copyright Plcbin